





PARTS (NOT TO SCALE)

1020 Straight

Vertical Pole Sections

4



5



1



0



Bottom Horizontal Pole

5



0

Support Pole



Radius Top Corner Sections

4



3



2



1




Top Horizontal Pole

3



2

Feet



Gloves



Optional Half Feet






NOT SUPPLIED WITH KIT AND THEY ARE SOLD SEPARATELY



1024 Straight

Extension poles (x2)




NOTE: The extension poles are used for 1024 Straight frames







Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot

NOTE: Sticker on base of foot shows the directions for locking/unlocking foot

NOTE: TWO POSITIONS FOR THE FEET (SEE OPTION 1 FOR SECOND POSITION)





OPTIONAL (EXTENSION KIT)

NOTE: EXTENSION SECTION SUPPLIED WITH 1024 STRAIGHT FRAME




OPTIONAL (HALF FEET)

OPTION 1 NOTE: HALF FEET CAN BE POSITIONED ONTO THE FRAME TWO DIFFERENT WAYS




Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot






OPTION 2




1



2



3





Turn clockwise to lock foot in position
Turn anti-clockwise to unlock foot



CONNECTING MULTIPLE FRAMES NOTE: 1024 STRAIGHT NOT INCLUDED

Remove one foot
from second frame
and align both
frames on one foot

NOTE: FOLLOW
OPTION 2 FOR HALF
FEET TO CONNECT
TWO FRAMES ON
ONE FOOT



1024 Straight Frame and 1020 Straight Frame